278/D

Moss (*Barbula* sp.) used as biomonitor of atmospheric heavy metal deposition: Estimation of uptake efficiencies

J I K G Jayalath¹, M P Deeyamulla^{1*} and S P Senanayake²
¹Department of Chemistry University of Kelaniya, Kelaniya
²Department of Botany University of Kelaniya, Kelaniya

Concentrations of Pb, Ni, Cu, Cr and Cd in two *Barbula* species in permeable bags (moss bag method) were compared with bulk deposition measurements of these elements at three monitoring stations; Dalugama, Biyagama and Sedawatte which can be identified as highly polluted areas in Sri Lanka. Amount of heavy metals in moss and bulk collector were determined by Atomic Absorption Spectrophotometry (AAS) during six months of period from October 2007 to March 2008

Heavy metal concentrations measured in three monitoring stations during six months period is given in $\mu g/g$ dry weight of moss sample. Concentration of heavy metals in bulk collector is expressed in $\mu g/cm^2$ area of the funnel. These elements showed generally significant correlations between moss and bulk deposition, and uptake efficiencies (E_x) relative to that of

Pb were estimated using the formula E_x (%) = $\frac{K_x}{K_x} \times 100$ where K_x is the slope of the

regression line of element x, and KPb is the slope of the regression line of Pb in mosses vs atmospheric deposition. The uptake efficiency of heavy metals were also established for each

site using another formula E^{s}_{x} (%) = $C \times A$ where E^{s}_{x} (%) is the uptake efficiency of an element

x at monitoring station s, C is the moss concentration, D is the bulk deposition and A is a "ratio constant" estimated for each monitoring station. The uptake efficiencies of heavy metals to be: Ni 50-65 %; Cu 55-70%; Cr 45-60 %; Cd 60-70% for *Barbula* sp.1 and Ni 65- 70%; Cu 80-90 %; Cr 30-50%; Cd 45-60% for *Barbula* sp.2. Therefore Ni and Cu have higher uptake efficiency towards Barbula sp.2 whereas Cr and Cd have higher uptake efficiency towards Barbula sp.1.




Figure 1

Plot of amount of Pb in two moss species against the bulk deposition

ı Tel: 011-2903269